KENWOOD

Kenwood KR-W8000SCD-B récepteur AV 30 W Stéréo Noir

Marque : Kenwood

Code produit: KR-W8000SCD-B

Nom du produit : KR-W8000SCD-B



Kenwood KR-W8000SCD-B. Sortie énergie par canal (20-20KHz@8 Ohm): 30 W, Type de récepteur: Stéréo. Casque connection: 3,5 mm, Type de sortie audio multicanal: RCA. Technologie de connectivité: Avec fil. Profils Bluetooth: A2DP, AVRCP. Type de bandes supportées: DAB+, FM, Bande AM: 87.5 - 108 kHz



Audio	
Sortie énergie par canal (20-20KHz@8 Ohm) *	30 W
Type de récepteur *	Stéréo
Entrées	
Entrée audio numérique optique *	1
Audio numérique coaxial intégré *	1
Nombre de ports USB *	1
Sorties	
Sortie Audio numérique (Optique)	1
Sortie audio numérique coaxiale	1
Sortie de casque	1
Casque connection	3,5 mm
Type de sortie audio multicanal	RCA
Connectivité	
Technologie de connectivité	Avec fil
Quantité de ports de type A USB 2,0	1
Entrées phono (RCA)	1
Réseau	
Wifi *	✔
Bluetooth *	✔
Modèle du Bluetooth	5.2
Profils Bluetooth	A2DP, AVRCP
Compatible Wi-Fi	✔
Radio	
Type de bandes supportées *	DAB+, FM
Radio Internet	✔
Bande AM	87.5 - 108 kHz
Quantité de stations préréglées	40
Lecteur optique	
Lecteur optique inclus *	✔
Lecteur optique	Lecteur CD

Support de stockage	
Lecteur de cartes mémoires intégré *	✘
Vidéo	
Compatibilité 3D *	✘
Détails techniques	
Écran *	TFT
Égaliseur	✔
Télécommande fournie *	✔
Couleur du produit *	Noir
Amplificateur audio	✔
Minuterie de mise en sommeil	✔
Amplifier la puissance de sortie	60 W
Portée Bluetooth	10 m
Puissance	
Tension d'entrée AC	100 - 240 V
Fréquence d'entrée AC	50/60 Hz
Consommation électrique typique	60 W
Consommation d'énergie (mode veille)	0,7 W
Poids et dimensions	
Largeur	400 mm
Profondeur	303 mm
Hauteur	68 mm
Poids	3,53 kg
Conditions environnementales	
Température d'opération	5 - 35 °C
Informations sur l'emballage	
Poids du paquet	9,4 kg
Contenu de l'emballage	
Câbles inclus	Secteur, RCA

Lecteur optique	
Types de disque supportés	CD-DA, CD-R, CD-RW

Contenu de l'emballage	
Piles fournies	✔
Antenne FM	✔

Autres caractéristiques	
Largeur du colis	420 mm
Profondeur du colis	550 mm
Hauteur du colis	150 mm

0019048239419

019048239419

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date