YAMAHA

Yamaha NS-2000A 3-voies Noir Avec fil 60 W





Marque : Yamaha

Code produit: ANS2000APB

Nom du produit : NS-2000A

- Harmonious Diaphragm™, développé tout récemment, mélange de ZYLON® et d'épicéa, offre un équilibre fidèle des tonalités
- Construction idéale en coffret, conçue avec une technologie d'analyse des vibrations, fruit de notre savoir-faire en matière de fabrication d'instruments de musique
- Absorbeur acoustique Yamaha breveté, optimisé pour le NS-2000A
- Yamaha breveté R.S. (Suppression de résonance) Chambre pour supprimer les résonances indésirables
- Finition Piano authentique : ajoute une touche de luxe
- Circuit de filtrage utilisant des composants de la plus haute qualité, y compris des condensateurs audio fabriqués par Mundorf en Allemagne
- Borniers d'enceinte en laiton pour une connexion hautement sécurisée et une sensation luxueuse

3 way Bass-Reflex Type, 34 - 100000 Hz, 60 / 200 W, 88 dB, 6 Ohms, 330 x 459 x 1134 mm, Noir

Haut-parleurs	
Type d'écouteurs *	3-voies
Canaux de sortie audio *	1.0 canaux
Placement des écouteurs *	Sol
Nombre de lecteurs *	4
Nombre de lecteurs milieu de gamme	1
Diamètre haut-parleur médium	8 cm
Diamètre haut-parleur médiateur	8,25 cm (3.25")
Tweeter	✔
Nombre de conducteurs tweeter	1
Diamètre de haut parleur aigu	3 cm
Diamètre de haut parleur aigu (impérial)	3,18 cm (1.25")
Woofer	✔
Nombre de lecteurs de haut-parleurs	2
Diamètre du woofer	16 cm
Diamètre du woofer (impérial)	16,5 cm (6.5")

Audio	
Puissance évaluée de RMS *	60 W

Audio	
Puissance de crête en sortie (PMPO)	200 W
Gamme de fréquence	34 - 100000 Hz
Impédance	6 Ohm
Sensibilité	88 dB
Fréquences de croisement (crossover)	3500 Hz

représentation / réalisation	
Segment de marché *	Consommateur
Utilisation recommandée *	Universel
Nombre de haut-parleurs *	1
Couleur du produit *	Noir

Amplificateur	
Amplificateur *	✘

Connectivité	
Technologie de connectivité *	Avec fil
Bluetooth *	✘

Poids et dimensions	
Largeur	330 mm
Profondeur	459 mm
Hauteur	1134 mm
Poids	32,8 kg

Contenu de l'emballage	
Quantité	1 pièce(s)
Nombre de pièces	1 pièce(s)

Détails techniques	
Période de garantie	5 année(s)

4957812674959

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 01-JUL-2026. Prints or copies of Information are only valid on the printed Publication date