Conceptronic PARRIS04GT casque Avec fil Arceau Appels/Musique Vert clair





Marque : Conceptronic

Code produit: PARRIS04GT

Nom du produit : PARRIS04GT

Conceptronic PARRIS04GT. Type de produit: Casque. Technologie de connectivité: Avec fil. Utilisation recommandée: Appels/Musique. Fréquence des écouteurs: 20 - 20000 Hz. Longueur de câble: 1,6 m. Poids: 180 g. Couleur du produit: Vert clair

représentation / réalisation	
Type de produit *	Casque
Style de casque portable *	Arceau
Utilisation recommandée *	Appels/Musique
Type de casque *	Binaural
Couleur du produit *	Vert clair
Touches de fonctionnement	Lecture/pause
Type d'unité de commande	Unité de commande intégrée
Pliable	✔
Longueur de câble	1,6 m
Conçu pour les enfants	✔
Sangle réglable	✔
Pays d'origine	Chine
Connectivité	
Technologie de connectivité *	Avec fil
Connecteur de 3,5 mm	✔
Bluetooth	✘
Casques/Ecouteurs	
Puissance d'entrée maximale	5 mW
Couplage auriculaire *	Circum-aural
Fréquence des écouteurs	20 - 20000 Hz
Impédance	32 Ohm
Sensibilité du casque	85 dB
Microphone	
Type de microphone *	Intégré
Configuration minimale du système	
Prise en charge du système d'exploitation Windows	✔
Prise en charge du système d'exploitation Mac	✔
Système mobile supporté	Android, iOS

Poids et dimensions	
Profondeur	78 mm
Hauteur	179 mm
Poids	180 g
Informations sur l'emballage	
Largeur du colis	143 mm
Profondeur du colis	55 mm
Hauteur du colis	177 mm
Poids du paquet	300 g
Type d'emballage	Boîte
Contenu de l'emballage	
Adaptateur secteur fourni *	✘
Guide de démarrage rapide	✔
Étui de transport	✔
Données logistiques	
Code de produit de douane (TARIC)	8518300000
Largeur brute de la palette	120 cm
Longueur brute de la palette	80 cm
Hauteur brute de la palette	167,7 cm
Casier principal (externe) par palette	20 pièce(s)
Largeur du casier principal (externe)	575 mm
Longueur du casier principal (externe)	395 mm
Hauteur du casier principal (externe)	305 mm
Poids brut du casier principal (externe)	10 kg
Produit par casier principal (externe)	40 pièce(s)
Puissance	
Port de charge USB de type C *	✘

Conditions environnementales	
Température d'opération	0 - 40 °C
Poids et dimensions	
Largeur	170 mm

Certificat	
Certificats de conformité	CE, RoHS

4015867242292

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 21-JUL-2026. Prints or copies of Information are only valid on the printed Publication date