PHILIPS

Philips 4000 series TAH4209WT/00 casque Sans fil Arceau Appels/Musique Bluetooth Blanc



Marque : Philips

Famille de produit: 4000 series

Code produit: TAH4209WT/00

Nom du produit :
TAH4209WT/00

- Casque supra-aural léger
- Un son naturel, des basses dynamiques
- Jusqu'à 55 h d'autonomie
- Appels clairs

4000 series Casque supra-aural sans fil, Blanc soyeux
Philips 4000 series TAH4209WT/00. Type de produit: Casque. Technologie de connectivité: Sans fil, Bluetooth. Utilisation recommandée: Appels/Musique. Fréquence des écouteurs: 20 - 20000 Hz. Portée du routeur sans fil: 10 m. Poids: 160 g. Couleur du produit: Blanc



représentation / réalisation	
Type de produit *	Casque
Style de casque portable *	Arceau
Utilisation recommandée *	Appels/Musique
Type de casque *	Binaural
Couleur du produit *	Blanc
Type de commande	Boutons
Pliable	✔
Voyants	✔
Fonctionne avec Google Assistant	✔
Compatible avec Apple Siri	✔

Connectivité	
Technologie de connectivité *	Sans fil
Bluetooth	✔
Profils Bluetooth	A2DP, AVRCP, HFP
Modèle du Bluetooth	5.3
Portée du routeur sans fil	10 m

Casques/Ecouteurs	
Couplage auriculaire *	Supra-aural
Système acoustique	Fermé
Fréquence des écouteurs	20 - 20000 Hz
Impédance	32 Ohm
Sensibilité du casque	112 dB
Unité de lecture	3,2 cm
Type de pilote	Dynamique

Microphone	
Type de microphone *	Intégré

Batterie	
Type de batterie	Batterie intégré
Technologie batterie	Lithium Polymère (LiPo)
Capacité de la batterie	600 mAh
Lecture audio en continu	55 h
Temps de rechargement de la batterie	2 h
Charge rapide	✔
Temps de charge rapide	15 min
Source de chargement	USB

Poids et dimensions	
Largeur	176 mm
Profondeur	42,5 mm
Hauteur	155 mm
Poids	160 g

Informations sur l'emballage	
Largeur du colis	180 mm
Profondeur du colis	50 mm
Hauteur du colis	251 mm
Poids du paquet	303 g

Contenu de l'emballage	
Adaptateur secteur fourni *	✘
Guide de démarrage rapide	✔
Câbles inclus	USB Type-C

Puissance	
Port de charge USB de type C *	✔
Capacité de puissance USB	✘
Puissance de charge requise (min) *	5 W

Batterie		Puissance	
Fonctionne sur piles	✔	Puissance de charge requise (max) *	15 W

4895229139749

0840063203501

840063203501

Catalog Object Cloud

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity. Automated scraping, data mining, or harvesting for the purpose of training machine learning models, neural networks, or artificial intelligence systems is strictly prohibited without a commercial license.

Publication date: 02-JUL-2026. Prints or copies of Information are only valid on the printed Publication date